

Emergent Layer

layer contains a small number of very e trees called emergents.

se emergent trees can grow to 55 metres Eagles, butterflies, bats and some skeys live here.





The Canopy Layer

The canopy layer contains the majority o trees, between 30 and 45 metres tall.

The canopy is home to about 50% of all species.

A quarter of all the world's insect species believed to exist in the rainforest canopy.

ne Understory Layer

nly 5% of sunlight gets here. Many rds, snakes, and lizards live in this ection of the rainforest including guars and boa constrictors.







The Forest Floor

The lowest section of this rainforest is the forest floor, all the dead plants and animals fall here. They are quickly eaten by most of the fungi.

These are all the layers put together.






















Four footed animals














Animals in the emergent

Harpy Eagles, Red Howler Monkeys, Fruit Bats, Butterflies, other birds, insects and the terrifying Goliath bird eating Tarantula!







Animals in the canopy

90% of all rainforest animals live hear, Spider monkeys, Sloths, Toucans, most types of monkeys, and Parrots also live hear.







Animals in the Understory

Tree and poison dart frogs, Tree makes, pumas and Jaguars live in this layer.







Animals in the Forest Floor

Anacondas, Capyburas, Black Caimans, Anteaters, Cavys, Scarlet Ibis', Tapirs, and pink river Dolphins.









